



# MAN TGS 35.430 8X4 BL + PALFINGER HAAK+20ASLD5+ PALFINGER PK 37.002 TEC KRAAN/KRAN/CRANE/GRUA

## General characteristics

Brand	MAN
Model	TGS 35.430
Subcategory	Container
Container system	hook
Meter reading	106.885km
Date of first registration	23-12-2021
Colour	Blue
Condition	Used
General state	Very good
Fuel	Diesel
Emission class	Euro 6
Reference	1790740



## Properties

Single weight	17.246kg
Load capacity	19.754kg
GVW	37.000kg
Length	1.083cm
Width	255cm
Cabin	Nee

Max. lifting capacity	98.000kg
Lifting height	1.600cm
Cylinder capacity	12.419cc

# MAN TGS 35.430 8X4 BL + PALFINGER HAAK+20ASLD5+ PALFINGER PK 37.002 TEC KRAAN/KRAN/CRANE/GRUA

## Technical specifications

Number of axes	4
Axis configuration	8x4
Transmission	Automatic
Assets	430

## Description

MAN TGS 35.430 BL 8x4 EURO 6 Truck with Loader Crane and Hooklift System Vehicle Specification Make: MAN Model: TGS 35.430 BL Configuration: 8x4 Engine Output: 430 HP Transmission: Automatic (MAN TipMatic) Cab: Day Cab Air Conditioning Navigation System Differential Lock Air-Suspended Rear Axles Rear View Camera Heavy-Duty Chassis Suitable for Crane and Hooklift Applications Weights Gross Vehicle Weight (GVW): 37,000 kg Tare Weight: 17,246 kg Payload Capacity: 19,754 kg The MAN TGS 35.430 is designed for demanding construction, infrastructure, waste management, and transport operations, offering excellent reliability, durability, and driving comfort. PALFINGER PK 37.002 TEC C Loader Crane Specification General Manufacturer: Palfinger Model: PK 37.002 TEC C Crane Class: 37 tm Mounted Behind Cab Radio Remote Control Proportional Hydraulic Controls Electronic Overload Protection System Key Features Advanced TEC control technology Precise and smooth crane movements High lifting capacity throughout the working range Excellent stability and operating safety Suitable for intensive daily operations Typical Lifting Capacities Outreach Lifting Capacity 3.7 m 8,700 kg 5.5 m 6,000 kg 7.5 m 4,200 kg 10.0 m 3,000 kg 12.5 m 2,300 kg 15.0 m 1,800 kg Capacities are indicative and may vary depending on stabilizer position, installation configuration, and optional equipment. Performance Data Lifting Moment: Approx. 37 tm Maximum Lifting Capacity: Approx. 8,700 kg Hydraulic Outreach: Approx. 15 m Typical Applications Building materials transport Container handling Machinery loading and unloading Infrastructure projects Municipal operations Construction site logistics Schematic Load Chart 1,800 kg \* / / / / \* 2,300 kg / / \* 3,000 kg / \* 4,200 kg | \* 6,000 kg | \* 8,700 kg 0 m ---- 5 m ---- 10 m ---- 15 m HOOKLIFT SYSTEM PALFINGER PHT 20A SLD 5 Technical Specification Manufacturer: Palfinger Model: PHT 20A SLD 5 Hooklift Capacity: 20 Tonnes Suitable for Various Container Lengths Heavy-Duty Construction Hydraulic Container Locking System Features Fully Hydraulic Hooklift Operation Hydraulic Internal Container Locking High Tipping Angle Fast Loading and Unloading Cycles Designed for Intensive Commercial Use Suitable For Roll-off Containers Construction Waste Containers Scrap Metal Containers Machinery Transport Containers Closed Waste Containers Multi-purpose Industrial Containers REAR EQUIPMENT Included Equipment Hydraulic Folding Rear Underrun Protection Bumper Rear View Camera Container Guide System Full Road-Legal Lighting Equipment Benefits Safe container handling Maximum compatibility with long containers Improved operational safety Increased efficiency during loading and unloading TECHNICAL SUMMARY Description Specification Chassis MAN TGS 35.430 BL Axle Configuration 8x4 Engine Power 430 HP Transmission Automatic Cab Type Day Cab Air Conditioning Yes Navigation Yes Rear Camera Yes Differential Lock

## Accessories

- 5rd valve
- Trailer coupling
- Air Suspension Seats
- Power steering
- Rotating beacon
- Reversing camera
- Aluminium fuel tank

- Electrically operated windows
- Air horn
- Air suspension
- Navigation system
- PTO
- Speed limiter
- Coupling
- Spotlights
- Visor
- Electrically adjustable door mirrors